lenote what types of samples were collected at the

ions for these symbols are given with each map.

sites are small dots, circles, and crosses. Explana-

his report is preliminary and has not been reviewed

or conformity with U.S. Geological Survey editorial

tandards. Any use of trade names is for descriptive

urposes only and does not imply endorsement by the

remove most of the light-mineral fraction.

Samples of aquatic bryophytes were collected from

stream channels beneath the water level mainly from

the silty sides of the stream channels but also from

Samples were partially washed in the stream at the


sample sites to remove large quantities of silt and

deadwood and boulders where they were attached.

sand. No attempt was made to differentiate the

various species of bryophytes that were collected.

SHEET 1 OF 6



King, H. D., O'Leary, R. M., Risoli, D. A., and

sediment and antimony in nonmagnetic and

samples, Medfra quadrangle, Alaska: U.S.

Geological Survey Open-File Report 80-811L.

Galland, D. W., 1983d, Distribution and abundance

of antimony and mercury in minus-80-mesh stream-

moderately magnetic heavy-mineral-concentrate

Moderately magnetic heavy-mineral-concentrate samples

Nonmagnetic heavy-mineral-concentrate samples

Curry, K. J., Cooley, E. F., and Dietrich, J. A.,

Grimes, D. J., and Marranzino, A. P., 1968, Direct-

current arc and alternating-current spark

U.S. Geological Survey Circular 591, 6 p.

v. 29, no. 3, p. 274-275.

1975, An automatic filter positioner device for

emission spectroscopy: Applied Spectroscopy,

emission spectrographic field methods for the

semiquantitative analysis of geologic materials:

The ground portion was used for spectrographic

After oven drying the samples of aquatic

bryophytes, most remaining silt and sand was removed

with tap water. The samples were again oven dried,

500°C. The ash was passed through a 0.119 mm sieve

by hand and compressed air, followed by several rinses

pulverized in a blender, and ashed in a muffle furnace

during a 24-hour period with a maximum temperature of

analysis.